

PCBP2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11768**Specification**

PCBP2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q6IPF4
Other Accession	NM_005016 , NP_005007
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

PCBP2 antibody - N-terminal region - Additional Information

Alias Symbol **HNRPE2, MGC110998, hnRNP-E2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-PCBP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PCBP2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PCBP2 antibody - N-terminal region - Protein Information**PCBP2 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PCBP2 antibody - N-terminal region - Images



WB Suggested Anti-PCBP2 Antibody Titration: 2.5µg/ml

Positive Control: HepG2 cell lysate

PCBP2 is supported by BioGPS gene expression data to be expressed in HepG2

PCBP2 antibody - N-terminal region - References

Fujimura,K., (2008) RNA 14 (3), 425-431 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.