10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PCBP2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11769

Specification

PCBP2 antibody - middle region - Product Information

Application	**IHC, WB**
Primary Accession	Q6IPF4
Other Accession	NM_005016, NP_005007
Reactivity	**Human, Mouse, Rat, Pig, Horse, Bovine**
Predicted	**Human, Mouse, Rat, Pig, Bovine**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**40kDa KDa**

PCBP2 antibody - middle region - Additional Information

Alias Symbol	**HNRPE2, hnRNP-E2**

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 100 ul of distilled water. Final anti-PCBP2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
PCBP2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

PCBP2 antibody - middle region - Protein Information


PCBP2 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PCBP2 antibody - middle region - Images

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Rabbit Anti-PCBP2 Antibody
Paraffin Embedded Tissue: Human Lung
Cellular Data: Alveolar cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-PCBP2 Antibody Titration: 1.25µg/ml
Positive Control: Jurkat cell lysate
There is BioGPS gene expression data showing that PCBP2 is expressed in Jurkat

PCBP2 antibody - middle region - References

Oh,J.H., (2005) Mamm. Genome 16 (12), 942-954Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.Publications:Han, W. et al. RNA-binding protein PCBP2 modulates glioma growth by regulating FHL3. J. Clin. Invest. 123, 2103-18 (2013). WB, IHC, Mouse, Human, Pig, H, Rat, Guinea pig, Bovine23585479