

STAU2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11794**Specification**

STAU2 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9NUL3-4
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Rabbit, Pig, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 34kDa KDa

STAU2 Antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-STAU2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.


Precautions


STAU2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

STAU2 Antibody - C-terminal region - Protein Information**STAU2 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

STAU2 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: STAU2
Sample Tissue: NCI-H226 Whole cell lysate
s
Antibody Dilution: 1.0µg/ml