

KLHDC8A antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11812**Specification**

KLHDC8A antibody - middle region - Product Information

Application	WB
Primary Accession	Q8IYD2
Other Accession	NM_018203 , NP_060673
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	39kDa KDa

KLHDC8A antibody - middle region - Additional Information**Gene ID** 55220**Alias Symbol** **FLJ10748****Other Names**

Kelch domain-containing protein 8A, Substitute for delta-EGFR expression 1, S-delta-E1, KLHDC8A

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-KLHDC8A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

KLHDC8A antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


KLHDC8A antibody - middle region - Protein Information**Name** KLHDC8A**KLHDC8A antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KLHDC8A antibody - middle region - Images



WB Suggested Anti-KLHDC8A Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: HepG2 cell lysate

KLHDC8A antibody - middle region - References

Gerhard,D.S., Genome Res. 14 (10B), 2121-2127 (2004)Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.