

RAVER2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11814**Specification**

RAVER2 antibody - middle region - Product Information

Application	WB
Primary Accession	O9HCJ3-2
Other Accession	NM_018211 , NP_060681
Reactivity	Human, Mouse, Rabbit, Bovine
Predicted	Rabbit, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	73kDa KDa

RAVER2 antibody - middle region - Additional Information

Alias Symbol **DKFZp762D1011, FLJ10770, KIAA1579**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RAVER2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


RAVER2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

RAVER2 antibody - middle region - Protein Information**RAVER2 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RAVER2 antibody - middle region - Images



WB Suggested Anti-RAVER2 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: HT1080 cell lysate

RAVER2 antibody - middle region - References

Kleinhenz, B., (2005) FEBS Lett. 579 (20), 4254-4258 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.