

RBM47 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11818**Specification**

RBM47 antibody - middle region - Product Information

Application	IHC, WB
Primary Accession	A0AV96-2
Other Accession	NM_019027 , NP_061900
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	57kDa KDa

RBM47 antibody - middle region - Additional Information

Alias Symbol	DKFZp686F02235, FLJ20273, FLJ21344, FLJ21643, NET18
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-RBM47 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


RBM47 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

RBM47 antibody - middle region - Protein Information**RBM47 antibody - middle region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


RBM47 antibody - middle region - Images



human Colon




WB Suggested Anti-RBM47 Antibody Titration: 0.2-1 μ g/ml
ELISA Titer: 1:62500
Positive Control: NCI-H226




Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Heart
Antibody Dilution: 1.0 μ g/ml

RBM47




Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Liver
Antibody Dilution: 1.0µg/ml

RBM47



Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Fetal Muscle
Antibody Dilution: 1.0µg/ml

RBM47



Host: Rabbit
Target Name: RBM47
Sample Tissue: Human Adult Placenta
Antibody Dilution: 1.0µg/ml

RBM47 antibody - middle region - References

Oh,J.H., (2005) Mamm. Genome 16 (12), 942-954 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.