

DAZ3 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11822**Specification**

DAZ3 antibody - middle region - Product Information

Application	WB
Primary Accession	Q2KHN7
Other Accession	NM_020364 , NP_065097
Reactivity	Human, Rat
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	49kDa KDa

DAZ3 antibody - middle region - Additional Information

Alias Symbol **MGC126441, pDP1679**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DAZ3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


DAZ3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

DAZ3 antibody - middle region - Protein Information**DAZ3 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DAZ3 antibody - middle region - Images



90 kDa__
65 kDa__
40 kDa__
31 kDa__
22 kDa__

WB Suggested Anti-DAZ3 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: OVCAR-3 cell lysate

There is BioGPS gene expression data showing that DAZ3 is expressed in OVCAR3

DAZ3 antibody - middle region - References

A,Z.C., (2006) Yi Chuan 28 (9), 1057-1060 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.