

MSI2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI11851**Specification**

MSI2 antibody - middle region - Product Information

Application	WB
Primary Accession	O96DH6-2
Other Accession	NM_170721 , NP_733839
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

MSI2 antibody - middle region - Additional Information

Alias Symbol **FLJ36569, MGC3245, MSI2H**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MSI2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions


MSI2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

MSI2 antibody - middle region - Protein Information**MSI2 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MSI2 antibody - middle region - Images



90 kDa__
65 kDa__
40 kDa__
29 kDa__
22 kDa__

WB Suggested Anti-MSI2 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: Human Small Intestine

MSI2 antibody - middle region - References

Barbouti,A., (2003) Cancer Res. 63 (6), 1202-1206 Reconstitution and Storage:For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.