

C9orf127 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11958**Specification**

C9orf127 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	Q9HBY2
Other Accession	NM_016446 , NP_057530
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Human, Mouse, Rat, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 37kDa KDa

C9orf127 antibody - N-terminal region - Additional Information

Alias Symbol **NGX6, NAG-5, C9orf127, RP11-112J3.10**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-C9orf127 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


C9orf127 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

C9orf127 antibody - N-terminal region - Protein Information**C9orf127 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

C9orf127 antibody - N-terminal region - Images



Rabbit Anti-C9orf127 Antibody
Paraffin Embedded Tissue: Human Kidney
Cellular Data: Epithelial cells of renal tubule
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



70 kDa
60 kDa
48 kDa
36 kDa
21 kDa

WB Suggested Anti-C9orf127 Antibody Titration: 0.2-1 µg/ml
Positive Control: HepG2 cell lysate

C9orf127 antibody - N-terminal region - References

Ma,J., (2005) Carcinogenesis 26 (2), 281-291
Reconstitution and Storage: For short term use, store at 2-8C up to 1 week. For long term storage, store at -20C in small aliquots to prevent freeze-thaw cycles.