

MAGEA8 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI11991**Specification**

MAGEA8 antibody - N-terminal region - Product Information

Application	IHC, WB
Primary Accession	O9BUN9
Other Accession	NM_005364 , NP_005355
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

MAGEA8 antibody - N-terminal region - Additional Information

Alias Symbol **MAGE8, MGC2182, CT1.8**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MAGEA8 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


MAGEA8 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MAGEA8 antibody - N-terminal region - Protein Information**MAGEA8 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MAGEA8 antibody - N-terminal region - Images



Rabbit Anti-MAGEA8 Antibody
Paraffin Embedded Tissue: Human Lung
Cellular Data: Alveolar cells
Antibody Concentration: 4.0-8.0 µg/ml
Magnification: 400X



WB Suggested Anti-MAGEA8 Antibody Titration: 0.2-1 µg/ml
Positive Control: Human Placenta

MAGEA8 antibody - N-terminal region - References

Lee, J.H., (2000) Mol. Cells 10 (6), 647-653
Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.