

Mycbp Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12043**Specification**

Mycbp Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9EQS3
Other Accession	NM_019660 , NP_062634
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	12kDa KDa

Mycbp Antibody - C-terminal region - Additional Information**Gene ID** 56309**Alias Symbol** 5730488M09Rik, AW552132, AW742590, Amy-1**Other Names**

C-Myc-binding protein, Associate of Myc 1, AMY-1, Mycbp, Amy1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Mycbp antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Mycbp Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Mycbp Antibody - C-terminal region - Protein Information**Name** Mycbp**Synonyms** Amy1**Function**

May control the transcriptional activity of MYC. Stimulates the activation of E box-dependent transcription by MYC (By similarity).

Cellular Location


Cytoplasm. Nucleus. Note=Translocates into the nucleus in the S phase of the cell cycle

Mycbp Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mycbp Antibody - C-terminal region - Images



Host: Rabbit

Target Name: Mycbp

Sample Tissue: Mouse Stomach lysates

Antibody Dilution: 1.0µg/ml