

KLHL8 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12080**Specification**

KLHL8 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9P2G9
Other Accession	NM_020803 , NP_065854
Reactivity	Human, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted Host	Human, Rabbit, Pig, Horse, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 69kDa KDa

KLHL8 antibody - N-terminal region - Additional Information**Gene ID** 57563**Alias Symbol** **FLJ46304, KIAA1378**
Other Names
Kelch-like protein 8, KLHL8, KIAA1378**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-KLHL8 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

KLHL8 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

KLHL8 antibody - N-terminal region - Protein Information**Name** KLHL8**Synonyms** KIAA1378**Function**


Substrate-specific adapter of a BCR (BTB-CUL3-RBX1) E3 ubiquitin ligase complex required for The BCR(KLHL8) ubiquitin ligase complex mediates ubiquitination and degradation of RAPSN.

KLHL8 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KLHL8 antibody - N-terminal region - Images



WB Suggested Anti-KLHL8 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:62500

Positive Control: Human Thymus

KLHL8 antibody - N-terminal region - References

Lim,J.,(2006)Cell125(4),801-814ReconstitutionandStorage:Forshorttermuse,storeat2-8Cupto1week.
Forlongtermstorage,storeat-20Cin small aliquotstopreventfreeze-thawcycles.