

BMP2K antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12106**Specification**

BMP2K antibody - middle region - Product Information

Application	WB
Primary Accession	Q4W5H2
Other Accession	NM_017593 , NP_060063
Reactivity	Human, Mouse, Rat, Zebrafish, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	74kDa KDa

BMP2K antibody - middle region - Additional Information

Alias Symbol	BIKE, DKFZp434K0614, DKFZp434P0116, HRIHFB2017
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BMP2K antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

BMP2K antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

BMP2K antibody - middle region - Protein Information**BMP2K antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BMP2K antibody - middle region - Images

WB Suggested Anti-BMP2K Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: Jurkat cell lysate

BMP2K is supported by BioGPS gene expression data to be expressed in Jurkat

BMP2K antibody - middle region - References

Olsen, J.V., (2006) Cell 127(3), 635-648 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.