

Rffl antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12202**Specification**

Rffl antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q3TEV8
Other Accession	NM_001164571 , NP_001158043
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	36kDa kDa

Rffl antibody - N-terminal region - Additional Information

Alias Symbol	1700051E09Rik, 4930516L10Rik, BG080975, Carp2, MGC144763
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Rffl antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

Rffl antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Rffl antibody - N-terminal region - Protein Information**Rffl antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Rffl antibody - N-terminal region - Images

WB Suggested Anti-Rffl Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Liver