

SLC23A3 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12376**Specification**

SLC23A3 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q6PIS1-2
Other Accession	NM_144712 , NP_653313
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	52kDa KDa

SLC23A3 antibody - N-terminal region - Additional Information

Alias Symbol **E2BP3, FLJ31168, SVCT3, Yspl1**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-SLC23A3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


SLC23A3 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SLC23A3 antibody - N-terminal region - Protein Information**SLC23A3 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SLC23A3 antibody - N-terminal region - Images



WB Suggested Anti-SLC23A3 Antibody Titration: 0.2-1 µg/ml
Positive Control: Human Placenta

SLC23A3 antibody - N-terminal region - References

Guimaraes, M.J., (1995) Development 121(10), 3335-3346 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.