

NAT2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12388**Specification**

NAT2 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A4Z7J7
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	31kDa KDa

NAT2 Antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti- antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions


NAT2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NAT2 Antibody - C-terminal region - Protein Information**NAT2 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NAT2 Antibody - C-terminal region - Images



90 kDa
65 kDa
40 kDa
29 kDa
22 kDa

Host: Rabbit
Target Name: NAT2
Sample Tissue: Jurkat Whole cell lysate
s
Antibody Dilution: 1.0µg/ml