

GLTPD2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12479**Specification**

GLTPD2 antibody - middle region - Product Information

Application	WB
Primary Accession	A6NH11
Other Accession	NM_001014985 , NP_001014985
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32kDa KDa

GLTPD2 antibody - middle region - Additional Information**Other Names**

Glycolipid transfer protein domain-containing protein 2, GLTPD2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-GLTPD2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

GLTPD2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

GLTPD2 antibody - middle region - Protein Information

Name GLTPD2


GLTPD2 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

GLTPD2 antibody - middle region - Images



WB Suggested Anti-GLTPD2 Antibody Titration: 5.0µg/ml
Positive Control: Jurkat cell lysate

GLTPD2 antibody - middle region - References

Strausberg, R. L., (2002) Proc. Natl. Acad. Sci. U.S.A. 99(26), 16899-16903 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.