

CHIC1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12519**Specification**

CHIC1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q5JSZ4
Other Accession	NM_001039840 , NP_001034929
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Chicken, Bovine, Guinea Pig
Host	Rabbit
Clonality	Polyclonal
Calculated MW	24kDa KDa

CHIC1 antibody - N-terminal region - Additional Information

Alias Symbol	RP11-108A15.1, BRX, DKFZp313P1931, DKFZp686F2342
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 100 ul of distilled water. Final anti-CHIC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


CHIC1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CHIC1 antibody - N-terminal region - Protein Information**CHIC1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CHIC1 antibody - N-terminal region - Images



WB Suggested Anti-CHIC1 Antibody Titration: 5.0µg/ml
Positive Control: Jurkat cell lysate

CHIC1 antibody - N-terminal region - References

Cools, J., (2001) FEBS Lett. 492(3), 204-209. Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.