

PCDH8 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12565**Specification**

PCDH8 antibody - middle region - Product Information

Application	WB
Primary Accession	Q5TAN1
Other Accession	NM_032949 , NP_116567
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	101kDa KDa

PCDH8 antibody - middle region - Additional Information

Alias Symbol **ARCADLIN, PAPC**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-PCDH8 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PCDH8 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

PCDH8 antibody - middle region - Protein Information**PCDH8 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PCDH8 antibody - middle region - Images



WB Suggested Anti-PCDH8 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:12500

Positive Control: 721_B cell lysate

PCDH8 antibody - middle region - References

Lim, J., (2006) Cell 125(4), 801-814 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.