

ACTR2 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12643**Specification**

ACTR2 antibody - middle region - Product Information

Application	WB
Primary Accession	B2RCP5
Other Accession	NM_001005386 , NP_001005386
Reactivity	Human, Mouse, Rat, Rabbit, Zebrafish, Pig, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rabbit, Zebrafish, Pig, Chicken, Horse, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45kDa KDa

ACTR2 antibody - middle region - Additional Information

Alias Symbol **ARP2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ACTR2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


ACTR2 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ACTR2 antibody - middle region - Protein Information**ACTR2 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ACTR2 antibody - middle region - Images



WB Suggested Anti-ACTR2 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:1562500

Positive Control: 721_B cell lysate

ACTR2 is strongly supported by BioGPS gene expression data to be expressed in Human 721_B cells

ACTR2 antibody - middle region - References

Carabeo, R.A., (2007) Cell. Microbiol. 9(9), 2278-2288 Reconstitution and Storage: For short term use, store at -80°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.