

ST3GAL4 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12705**Specification**

ST3GAL4 antibody - middle region - Product Information

Application	WB
Primary Accession	Q6IBE6
Other Accession	NM_006278 , NP_006269
Reactivity	Human, Mouse, Rat, Rabbit, Sheep, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rabbit, Pig, Chicken, Sheep, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	37kDa KDa

ST3GAL4 antibody - middle region - Additional Information

Alias Symbol	CGS23, FLJ11867, NANTA3, SAT3, SIAT4, SIAT4C, ST3Gal IV, ST3GalIV, STZ
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ST3GAL4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


ST3GAL4 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ST3GAL4 antibody - middle region - Protein Information**ST3GAL4 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ST3GAL4 antibody - middle region - Images



WB Suggested Anti-ST3GAL4 Antibody Titration: 0.2-1 μ g/ml

Positive Control: 721_B cell lysate

ST3GAL4 is supported by BioGPS gene expression data to be expressed in 721_B




Host: Rabbit

Target Name: NOP56

Sample Tissue: MCF7

Antibody Dilution: 1.0 μ g/ml ST3GAL4 is supported by BioGPS gene expression data to be expressed in MCF7



Host: Rabbit

Target Name: EGFL8

Sample Tissue: HeLa

Antibody Dilution: 1.0 μ g/ml ST3GAL4 is supported by BioGPS gene expression data to be expressed in HeLa

ST3GAL4 antibody - middle region - References

Higai, K., (2006) FEBS Lett. 580(26), 6069-6075 Reconstitution and Storage: For short term use, store at 2-8C

upto1week.Forlongtermstorage,storeat-20Cinsmallaliquotstopreventfreeze-thawcycles.