10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TMEM158 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12751

Specification

TMEM158 antibody - middle region - Product Information

Application	**WB**
Primary Accession	Q8WZ71
Other Accession	NM_000764, NP_056259
Reactivity	**Human, Mouse, Rat, Pig, Bovine**
Predicted	**Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**30kDa KDa**

TMEM158 antibody - middle region - Additional Information

Gene ID 25907

Alias Symbol **BBP, DKFZp586E1621, RIS1, p40BBP**

Other Names
Transmembrane protein 158, 40 kDa BINP-binding protein, p40BBP, Ras-induced senescence protein 1, TMEM158, HBBP, RIS1

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-TMEM158 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
TMEM158 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

TMEM158 antibody - middle region - Protein Information

Name TMEM158

Synonyms HBBP, RIS1

Function
Receptor for brain injury-derived neurotrophic peptide (BINP), a synthetic 13-mer peptide.

Cellular Location
Membrane; Multi-pass membrane protein


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TMEM158 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

TMEM158 antibody - middle region - Images



WB Suggested Anti-TMEM158 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:12500
Positive Control: ACHN cell lysate

TMEM158 antibody - middle region - References

Fukami,T.,(2006)PharmacogenomicsJ.6(6),401-412ReconstitutionandStorage:Forshorttermuse,storeat2-8Cupto1week.Forlongtermstorage,storeat-20Cinsmallaliquotstopreventfreeze-thawcycles.