10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZSCAN12 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12806

Specification

ZSCAN12 antibody - N-terminal region - Product Information

Application	**WB**
Primary Accession	O43309
Other Accession	NM_001039643, NP_001034732
Reactivity	**Human, Pig, Bovine**
Predicted	**Human, Pig, Bovine**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**66kDa KDa**

ZSCAN12 antibody - N-terminal region - Additional Information

Gene ID 9753

Alias Symbol	**KIAA0426, ZFP96, ZNF29K1, ZNF305, ZNF96, dJ29K1.2**

Other Names
Zinc finger and SCAN domain-containing protein 12, Zinc finger protein 305, Zinc finger protein 96, ZSCAN12, KIAA0426, ZNF305, ZNF96

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 100 ul of distilled water. Final anti-ZSCAN12 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
ZSCAN12 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZSCAN12 antibody - N-terminal region - Protein Information

Name ZSCAN12

Synonyms KIAA0426, ZNF305, ZNF96

Function
May be involved in transcriptional regulation.

Cellular Location
Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZSCAN12 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZSCAN12 antibody - N-terminal region - Images



WB Suggested Anti-ZSCAN12 Antibody Titration: 5.0µg/ml
Positive Control: Jurkat cell lysate

ZSCAN12 antibody - N-terminal region - References

Lee,P.L.,(1997)Genomics43(2),191-201ReconstitutionandStorage:Forshorttermuse,storeat2-8Cupto 1week.Forlongtermstorage,storeat-20Cinsmallaliquotstopreventfreeze-thawcycles.