10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FMNL2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12831

Specification

FMNL2 antibody - N-terminal region - Product Information

Application	**WB**
Primary Accession	Q96PY5
Other Accession	NM_052905, NP_443137
Reactivity	**Human, Mouse, Rat, Guinea Pig**
Predicted	**Human, Mouse, Guinea Pig**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**124kDa KDa**

FMNL2 antibody - N-terminal region - Additional Information

Gene ID 114793

Alias Symbol	**FHOD2, FLJ37546**

Other Names
Formin-like protein 2, Formin homology 2 domain-containing protein 2, FMNL2, FHOD2, KIAA1902

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-FMNL2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
FMNL2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

FMNL2 antibody - N-terminal region - Protein Information

Name FMNL2 (HGNC:18267)

Synonyms FHOD2, KIAA1902

Function
Plays a role in the regulation of cell morphology and cytoskeletal organization. Required in the cortical actin filament dynamics.

Cellular Location
Cytoplasm.


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FMNL2 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FMNL2 antibody - N-terminal region - Images



WB Suggested Anti-FMNL2 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:62500
Positive Control: Jurkat cell lysate

FMNL2 antibody - N-terminal region - References

Colland,F.,(2004)GenomeRes.14(7),1324-1332ReconstitutionandStorage:Forshorttermuse,storeat2-8Cupto1week.Forlongtermstorage,storeat-20Cinsmallaliquotstopreventfreeze-thawcycles.