

KIAA0515 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12862**Specification**

KIAA0515 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q5JSZ5
Other Accession	EAW87968
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Chicken, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 48kDa KDa

KIAA0515 antibody - N-terminal region - Additional Information**Gene ID** 84726**Alias Symbol** RP11-334J6.1, DKFZp781F05101, DKFZp781K12107, LQFBS-1, MGC10526, BAT2L, BAT2L1, KIAA0515**Other Names**

Protein PRRC2B, HLA-B-associated transcript 2-like 1, Proline-rich coiled-coil protein 2B, PRRC2B, BAT2L, BAT2L1, KIAA0515

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-KIAA0515 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


KIAA0515 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

KIAA0515 antibody - N-terminal region - Protein Information**Name** PRRC2B**Synonyms** BAT2L, BAT2L1, KIAA0515**KIAA0515 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KIAA0515 antibody - N-terminal region - Images



WB Suggested Anti-KIAA0515 Antibody Titration: 0.2-1 μ g/ml

Positive Control: HepG2 cell lysate

PRRC2B is supported by BioGPS gene expression data to be expressed in HepG2