

Tcn2 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI12881**Specification**

Tcn2 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O88968
Other Accession	NM_015749 , NP_056564
Reactivity	Human, Mouse, Rat, Rabbit, Bovine, Guinea Pig
Predicted Host	Human, Rat, Rabbit, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 47kDa KDa

Tcn2 antibody - N-terminal region - Additional Information**Gene ID** 21452**Alias Symbol** **AW208754, Tcn-2****Other Names**

Transcobalamin-2, TC-2, Transcobalamin II, TC II, TCII, Tcn2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Tcn2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Tcn2 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Tcn2 antibody - N-terminal region - Protein Information**Name** Tcn2**Function**

Primary vitamin B12-binding and transport protein. Delivers cobalamin to cells.

Cellular Location


Secreted {ECO:0000250|UniProtKB:P20062}.

Tcn2 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tcn2 antibody - N-terminal region - Images



WB Suggested Anti-Tcn2 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Pancreas