

TCP10 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI12924**Specification**

TCP10 antibody - middle region - Product Information

Application	WB
Primary Accession	Q12799
Other Accession	NM_004610 , NP_004601
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	35kDa KDa

TCP10 antibody - middle region - Additional Information

Alias Symbol	MGC34049, TCP10A
Other Names	
T-complex protein 10A homolog, TCP10, TCP10A	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-TCP10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


TCP10 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

TCP10 antibody - middle region - Protein Information**TCP10 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TCP10 antibody - middle region - Images



WB Suggested Anti-TCP10 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:62500

Positive Control: Hela cell lysate

TCP10 antibody - middle region - References

Mungall, A.J., (2003) Nature 425(6960), 805-811 Reconstitution and Storage: For short term use, store at 2-8°C up to 1 week. For long term storage, store at -20°C in small aliquots to prevent freeze-thaw cycles.