

CRTAM Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13027**Specification**

CRTAM Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O95727-2
Reactivity	Human, Rat, Pig, Horse, Bovine, Dog
Predicted	Human, Pig, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	21kDa KDa

CRTAM Antibody - C-terminal region - Additional Information**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CRTAM antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

CRTAM Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CRTAM Antibody - C-terminal region - Protein Information**CRTAM Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CRTAM Antibody - C-terminal region - Images



Host: Rabbit
Target Name: CRTAM
Sample Tissue: ACHN Whole cell lysate
s
Antibody Dilution: 1.0µg/ml