

Dlk2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13077**Specification**

Dlk2 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O8K1E3-3
Other Accession	NM_207666 , NP_997549
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45kDa KDa

Dlk2 Antibody - C-terminal region - Additional Information

Alias Symbol **AI413481, Egfl9**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Dlk2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Dlk2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Dlk2 Antibody - C-terminal region - Protein Information**Dlk2 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dlk2 Antibody - C-terminal region - Images



Host: Rabbit
Target Name: Dlk2
Sample Tissue: Mouse Thymus lysates
Antibody Dilution: 1.0µg/ml