

Dnajc22 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13102**Specification**

Dnajc22 antibody - middle region - Product Information

Application	WB
Primary Accession	Q8CHS2
Other Accession	NM_176835 , NP_789805
Reactivity	Human, Mouse, Rat, Pig, Horse, Bovine, Dog
Predicted	Pig, Horse, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	38kDa KDa

Dnajc22 antibody - middle region - Additional Information**Gene ID** 72778

Alias Symbol	AI506245, 2810451A06Rik
Other Names	
Dnaj homolog subfamily C member 22, Dnajc22	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Dnajc22 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

Dnajc22 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Dnajc22 antibody - middle region - Protein Information**Name** Dnajc22**Function**

May function as a co-chaperone.

Cellular Location


Membrane; Multi-pass membrane protein

Dnajc22 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dnajc22 antibody - middle region - Images



WB Suggested Anti-Dnajc22 Antibody Titration: 1.0 μ g/ml
Positive Control: Mouse Intestine