

BEST3 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13128**Specification**

BEST3 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	B5MDI8
Other Accession	NM_152439 , NP_689652
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	51kDa kDa

BEST3 antibody - C-terminal region - Additional Information

Alias Symbol **MGC13168, MGC40411, VMD2L3**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-BEST3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


BEST3 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

BEST3 antibody - C-terminal region - Protein Information**BEST3 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BEST3 antibody - C-terminal region - Images



WB Suggested Anti-BEST3 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:1562500

Positive Control: PANC1 cell lysate