

**Fibcd1 Antibody - C-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI13136****Specification**

---

**Fibcd1 Antibody - C-terminal region - Product Information**

|                   |                                                                |
|-------------------|----------------------------------------------------------------|
| Application       | WB                                                             |
| Primary Accession | <a href="#">A2AV25</a>                                         |
| Other Accession   | <a href="#">BAC39169</a>                                       |
| Reactivity        | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Predicted         | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Host              | Rabbit                                                         |
| Clonality         | Polyclonal                                                     |
| Calculated MW     | 30kDa KDa                                                      |

**Fibcd1 Antibody - C-terminal region - Additional Information****Gene ID** 98970

|                                                  |                        |
|--------------------------------------------------|------------------------|
| Alias Symbol                                     | RP23-65P13.6, AI448887 |
| <b>Other Names</b>                               |                        |
| Fibrinogen C domain-containing protein 1, Fibcd1 |                        |

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-Fibcd1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

Fibcd1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**Fibcd1 Antibody - C-terminal region - Protein Information****Name** Fibcd1**Function**

Acetyl group-binding receptor which shows a high-affinity and calcium-dependent binding to acetylated structures such as chitin, some N-acetylated carbohydrates, and amino acids, but not to their non- acetylated counterparts. Can facilitate the endocytosis of acetylated components (By similarity).

**Cellular Location**


Membrane; Single-pass type II membrane protein

## **Fibcd1 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## **Fibcd1 Antibody - C-terminal region - Images**



Host: Rabbit  
Target Name: Fibcd1  
Sample Tissue: Mouse Lung lysates  
Antibody Dilution: 1.0µg/ml