

**ZMAT1 antibody - middle region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI13211****Specification**

---

**ZMAT1 antibody - middle region - Product Information**

|                   |                                                                |
|-------------------|----------------------------------------------------------------|
| Application       | WB                                                             |
| Primary Accession | <a href="#">A7MD47</a>                                         |
| Other Accession   | <a href="#">NM_032441</a> , <a href="#">NP_115817</a>          |
| Reactivity        | Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog |
| Predicted         | Human, Mouse, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog      |
| Host              | Rabbit                                                         |
| Clonality         | Polyclonal                                                     |
| Calculated MW     | 55kDa KDa                                                      |

**ZMAT1 antibody - middle region - Additional Information**

Alias Symbol **KIAA1789, MGC176728**

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-ZMAT1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**


ZMAT1 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

**ZMAT1 antibody - middle region - Protein Information****ZMAT1 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ZMAT1 antibody - middle region - Images**



WB Suggested Anti-ZMAT1 Antibody Titration: 0.2-1  $\mu$ g/ml  
Positive Control: HepG2 cell lysate