10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Tceal7 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13229

Specification

Tceal7 antibody - middle region - Product Information

Application	**WB**
Primary Accession	A3KGA4
Other Accession	NM_001127169, NP_001120641
Reactivity	**Human, Mouse, Rat, Rabbit, Pig, Horse, Yeast, Bovine, Dog**
Predicted	**Bovine**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**10kDa KDa**

Tceal7 antibody - middle region - Additional Information

Gene ID 100040972

Alias Symbol	**1110018P05Rik, AI118095**

Other Names
Transcription elongation factor A protein-like 7, TCEA-like protein 7, Transcription elongation factor S-II protein-like 7, Tceal7

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-Tceal7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
Tceal7 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

Tceal7 antibody - middle region - Protein Information

Name Tceal7

Function
Plays a role in the negative regulation of NF-kappa-B signaling at the basal level by modulating transcriptional activity of NF-kappa-B on its target gene promoters. Associates with cyclin D1 promoter containing Myc E-box sequence and transcriptionally represses cyclin D1 expression. Regulates telomerase reverse transcriptase expression and telomerase activity in both ALT (alternative lengthening of telomeres)and telomerase-positive cell lines (By similarity).

Cellular Location


Nucleus.

Tceal7 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Tceal7 antibody - middle region - Images



WB Suggested Anti-Tceal7 Antibody Titration: 1.0 µg/ml
Positive Control: Mouse Small Intestine

Tceal7 antibody - middle region - References

Church D.M.,et al.PLoS Biol. 7:E1000112-E1000112(2009).