

ZNF486 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13311**Specification**

ZNF486 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O96H40
Other Accession	NM_052852 , NP_443084
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Dog
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

ZNF486 antibody - C-terminal region - Additional Information**Gene ID** 90649**Alias Symbol** KRBO2, MGC2396
Other Names
Zinc finger protein 486, KRAB domain only protein 2, ZNF486, KRBO2**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ZNF486 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF486 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF486 antibody - C-terminal region - Protein Information**Name** ZNF486**Synonyms** KRBO2**Function**

May be involved in transcriptional regulation.


Cellular Location

Nucleus.

ZNF486 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF486 antibody - C-terminal region - Images

WB Suggested Anti-ZNF486 Antibody Titration: 0.2-1 µg/ml

Positive Control: Human Muscle

ZNF486 antibody - C-terminal region - References

Grimwood J., et al. Nature 428:529-535(2004).