

MGLL antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13401**Specification**

MGLL antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q6IBG9
Other Accession	NM_007283 , NP_009214
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	34kDa KDa

MGLL antibody - N-terminal region - Additional Information

Alias Symbol **HU-K5, MGL, HUK5, MAGL**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MGLL antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


MGLL antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MGLL antibody - N-terminal region - Protein Information**MGLL antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MGLL antibody - N-terminal region - Images



WB Suggested Anti-MGLL Antibody Titration: 0.2-1 $\mu\text{g/ml}$

ELISA Titer: 1:1562500

Positive Control: ACHN cell lysate

MGLL is supported by BioGPS gene expression data to be expressed in ACHN