

C1QTNF4 antibody - middle region

Rabbit Polyclonal Antibody Catalog # Al13413

Specification

C1QTNF4 antibody - middle region - Product Information

Application WB
Primary Accession Q9BX|3

Other Accession NM 031909, NP 114115

Reactivity Human, Mouse, Rat, Rabbit, Pig, Horse,

Guinea Pig, Dog

Predicted Rat, Rabbit, Horse, Dog

Host Rabbit
Clonality Polyclonal
Calculated MW 35kDa KDa

C1QTNF4 antibody - middle region - Additional Information

Gene ID 114900

Alias Symbol CTRP4, ZACRP4

Other Names

Complement C1q tumor necrosis factor-related protein 4, C1QTNF4, CTRP4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-C1QTNF4 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

C1QTNF4 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

C1QTNF4 antibody - middle region - Protein Information

Name C1QTNF4

Synonyms CTRP4

Function

May be involved in the regulation of the inflammatory network. Its role as pro- or anti-inflammatory seems to be context dependent (PubMed:21658842, PubMed:27086950). Seems to

have some role in regulating food intake and energy balance when administered in the brain. This effect is sustained over a two-day period, and it is accompanied by decreased expression of



Tol. 000.070.1000 1 dx. 000.070.100

orexigenic neuropeptides in the hypothalamus 3 hours post-injection (By similarity).

Cellular Location Secreted.

Tissue Location


Widely expressed at low levels (PubMed:21658842). Highest levels in adipocyte tissue and brain (PubMed:24366864)

C1QTNF4 antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

C1QTNF4 antibody - middle region - Images



WB Suggested Anti-C1QTNF4 Antibody Titration: 0.2-1 µg/ml

ELISA Titer: 1:12500

Positive Control: Transfected 293T

C1QTNF4 antibody - middle region - References

Holloway J.L., et al. Submitted (DEC-2000) to the EMBL/GenBank/DDBJ databases. Li Q., et al. Cancer Lett. 308:203-214(2011).