

ADC Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13419**Specification**

ADC Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O96A70-4
Other Accession	NM_052998 , NP_443724
Reactivity	Human, Mouse, Rat, Rabbit, Sheep, Horse, Yeast, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Sheep, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	41kDa KDa

ADC Antibody - C-terminal region - Additional Information

Alias Symbol **AZI2, ODC-p, ODC1L**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ADC antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


ADC Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

ADC Antibody - C-terminal region - Protein Information**ADC Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ADC Antibody - C-terminal region - Images



Host: Rabbit
Target Name: ADC
Sample Tissue: Liver Tumor lysates
Antibody Dilution: 1.0µg/ml