10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

SPATA17 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13443

Specification

SPATA17 antibody - C-terminal region - Product Information

Application	**WB**
Primary Accession	Q96L03
Other Accession	NM_138796, NP_620151
Reactivity	**Human, Rabbit**
Predicted	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**43kDa KDa**

SPATA17 antibody - C-terminal region - Additional Information

Gene ID 128153

Alias Symbol **IQCH, MSRG-11, MSRG11, RP11-144C20.1**
Other Names
Spermatogenesis-associated protein 17, SPATA17

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-SPATA17 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
SPATA17 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

SPATA17 antibody - C-terminal region - Protein Information

Name SPATA17

Cellular Location
Cytoplasm.

SPATA17 antibody - C-terminal region - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

SPATA17 antibody - C-terminal region - Images



WB Suggested Anti-SPATA17 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:62500
Positive Control: Human brain

SPATA17 antibody - C-terminal region - References

Deng Y.,et al.Submitted (MAR-2005) to the EMBL/GenBank/DDBJ databases.
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Gregory S.G.,et al.Nature 441:315-321(2006).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.