

**FAM76A antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI13505****Specification**

---

**FAM76A antibody - N-terminal region - Product Information**

|                   |                                                           |
|-------------------|-----------------------------------------------------------|
| Application       | WB                                                        |
| Primary Accession | <a href="#">Q8TAV0</a>                                    |
| Other Accession   | <a href="#">NM_152660</a> , <a href="#">NP_689873</a>     |
| Reactivity        | Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog |
| Predicted Host    | Human, Mouse, Rat, Rabbit                                 |
| Clonality         | Rabbit                                                    |
| Calculated MW     | Polyclonal<br>35kDa KDa                                   |

**FAM76A antibody - N-terminal region - Additional Information****Gene ID** 199870

|                        |                       |
|------------------------|-----------------------|
| Alias Symbol           | MGC34648, RP3-426I6.1 |
| <b>Other Names</b>     |                       |
| Protein FAM76A, FAM76A |                       |

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 50 ul of distilled water. Final anti-FAM76A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

FAM76A antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


**FAM76A antibody - N-terminal region - Protein Information****Name** FAM76A**FAM76A antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **FAM76A antibody - N-terminal region - Images**



WB Suggested Anti-FAM76A Antibody Titration: 0.2-1  $\mu$ g/ml

ELISA Titer: 1:1562500

Positive Control: MCF7 cell lysate

#### **FAM76A antibody - N-terminal region - References**

Rhodes S., et al. Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.

Ota T., et al. Nat. Genet. 36:40-45(2004).

Gregory S.G., et al. Nature 441:315-321(2006).