

CXorf20 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13517**Specification**

CXorf20 antibody - middle region - Product Information

Application	WB
Primary Accession	Q8NDZ0
Other Accession	NM_153346 , NP_699177
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88kDa KDa

CXorf20 antibody - middle region - Additional Information**Gene ID** 139105**Alias Symbol** MGC33653, CXorf20**Other Names**

BEN domain-containing protein 2, BEND2, CXorf20

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CXorf20 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

CXorf20 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.


CXorf20 antibody - middle region - Protein Information**Name** BEND2**Synonyms** CXorf20**CXorf20 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CXorf20 antibody - middle region - Images



WB Suggested Anti-CXorf20 Antibody Titration: 0.2-1 μ g/ml
ELISA Titer: 1:312500
Positive Control: HT1080 cell lysate

CXorf20 antibody - middle region - References

Ross M.T., et al. Nature 434:325-337(2005).