

LRRC56 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI13559**Specification**

LRRC56 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	Q8IYG6
Other Accession	NM_198075 , NP_932341
Reactivity	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	59kDa KDa

LRRC56 antibody - N-terminal region - Additional Information**Gene ID** 115399

Alias Symbol	DKFZp761L1518, FLJ00101
Other Names	
Leucine-rich repeat-containing protein 56, LRRC56	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-LRRC56 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

LRRC56 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

LRRC56 antibody - N-terminal region - Protein Information**Name** LRRC56**Function**

Required for the assembly of dynein arms.

Cellular Location


Cell projection, cilium {ECO:0000250|UniProtKB:Q387Y5}

LRRC56 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LRRC56 antibody - N-terminal region - Images



WB Suggested Anti-LRRC56 Antibody Titration: 0.2-1 µg/ml

Positive Control: Human Liver

LRRC56 antibody - N-terminal region - References

Bechtel S., et al. BMC Genomics 8:399-399(2007).