

ACOT11 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI13771**Specification**

ACOT11 antibody - middle region - Product Information

Application	WB
Primary Accession	D3DQ50
Other Accession	NM_147161 , NP_671517
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Mouse, Rabbit, Chicken, Horse, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	65 KDa

ACOT11 antibody - middle region - Additional Information

Alias Symbol	BFIT, BFIT1, BFIT2, KIAA0707, STARD14, THEA, THEM1
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-ACOT11 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

ACOT11 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ACOT11 antibody - middle region - Protein Information**ACOT11 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ACOT11 antibody - middle region - Images

WB Suggested Anti-ACOT11 Antibody Titration: 0.2-1 μ g/ml

Positive Control: HepG2 cell lysate

ACOT11 is supported by BioGPS gene expression data to be expressed in HepG2