

EXOC6 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14097**Specification**

EXOC6 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	B3KXY5
Other Accession	NM_001013848 , NP_001013870
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88kDa KDa

EXOC6 antibody - N-terminal region - Additional Information

Alias Symbol	DKFZp761I2124, EXOC6A, FLJ1125, FLJ11251, MGC33397, SEC15L, SEC15L1, SEC15L3, Sec15p, SEC15
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-EXOC6 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

EXOC6 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


EXOC6 antibody - N-terminal region - Protein Information**EXOC6 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

EXOC6 antibody - N-terminal region - Images



WB Suggested Anti-EXOC6 Antibody Titration: 0.2-1 μ g/ml
Positive Control: HepG2 cell lysate