10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PARVG Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14157

Specification

PARVG Antibody - C-terminal region - Product Information

Application	**WB**
Primary Accession	Q9HBI0
Other Accession	XP_005261759
Reactivity	**Human**
Predicted	**Human, Mouse, Rat, Pig, Horse, Bovine, Guinea Pig, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**36kDa KDa**

PARVG Antibody - C-terminal region - Additional Information

Gene ID 64098

Alias Symbol	**PARVG,**

Other Names
Gamma-parvin, PARVG

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 &mu, l of distilled water. Final Anti-PARVG antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions
PARVG Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PARVG Antibody - C-terminal region - Protein Information

Name PARVG

Function
Probably plays a role in the regulation of cell adhesion and cytoskeleton organization.

Cellular Location
Cell junction, focal adhesion. Cell membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasm, cytoskeleton Note=Constituent of focal adhesions.

Tissue Location
Expressed predominantly in lymphoid organs, including spleen, thymus, lymph node, bone marrow


and peripheral blood leukocytes and moderately in the digestive tract, including stomach, duodenum, jejunum, ileum, ileocecum and appendix, as well as in lung and liver. Also expressed in tumors, but at a lower level than in the corresponding normal tissues.

PARVG Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PARVG Antibody - C-terminal region - Images



Host: Rabbit
Target Name: PARVG
Sample Tissue: Large intestine Tumor lysates
Antibody Dilution: 1µg/ml

PARVG Antibody - C-terminal region - References

Olski T.M.,et al.J. Cell Sci. 114:525-538(2001).
Collins J.E.,et al.Genome Res. 13:27-36(2003).
Collins J.E.,et al.Genome Biol. 5:R84.1-R84.11(2004).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Dunham I.,et al.Nature 402:489-495(1999).