10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

C17orf75 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14159

Specification

C17orf75 antibody - N-terminal region - Product Information

Application	**WB**
Primary Accession	Q9HAS0
Other Accession	NM_022344, NP_071739
Reactivity	**Human, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog**
Predicted	**Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**44kDa KDa**

C17orf75 antibody - N-terminal region - Additional Information

Gene ID 64149

Alias Symbol	**NJMU-R1**

Other Names
Protein Njmu-R1, C17orf75

Format
Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage
Add 50 ul of distilled water. Final anti-C17orf75 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions
C17orf75 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

C17orf75 antibody - N-terminal region - Protein Information

Name C17orf75

Function
As component of the WDR11 complex acts together with TBC1D23 to facilitate the golgin-mediated capture of vesicles generated using AP-1 (PubMed:29426865). May have a role in spermatogenesis.

Cellular Location
Golgi apparatus, trans-Golgi network. Cytoplasmic vesicle

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Tissue Location
Highly expressed in testis and also expressed in fetal testis

C17orf75 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

C17orf75 antibody - N-terminal region - Images



WB Suggested Anti-C17orf75 Antibody Titration: 0.2-1 µg/ml
ELISA Titer: 1:1562500
Positive Control: Jurkat cell lysate

C17orf75 antibody - N-terminal region - References

Li J.M.,et al.Submitted (SEP-2000) to the EMBL/GenBank/DDBJ databases.
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).
Gauci S.,et al.Anal. Chem. 81:4493-4501(2009).
Mayya V.,et al.Sci. Signal. 2:RA46-RA46(2009).
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).