

Mapk10 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14188**Specification**

Mapk10 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	BOVXR6
Other Accession	NM_012806 , NP_036938
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Goat, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	46kDa KDa

Mapk10 antibody - N-terminal region - Additional Information

Alias Symbol **Jnk3, SAPb, SAPKC, Serk2**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-Mapk10 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


Mapk10 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

Mapk10 antibody - N-terminal region - Protein Information**Mapk10 antibody - N-terminal region - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mapk10 antibody - N-terminal region - Images



WB Suggested Anti-Mapk10 Antibody Titration: 1.0 µg/ml
Positive Control: Rat Liver



Lanes: Lane1: 40 ug tobacco hornworm larvae intestine lysate Lane2: 100 ug tobacco hornworm larvae intestine lysate

Primary Antibody Dilution: 1:1000

Secondary Antibody: Goat anti-rabbit HRP

Secondary Antibody Dilution: 1:10000

Gene Name: Mapk10(JUNK)

Submitted by: Dra. Helena Porta Ducoing and Biol. Gladys Jimenez Nopala