

NFATC1 antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14356**Specification**

NFATC1 antibody - N-terminal region - Product Information

Application	WB
Primary Accession	B5B2M5
Other Accession	NM_172387 , NP_765975
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rabbit, Pig, Chicken, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	100kDa KDa

NFATC1 antibody - N-terminal region - Additional Information

Alias Symbol **MGC138448, NF-ATC, NFAT2, NFATc**
Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-NFATC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


NFATC1 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

NFATC1 antibody - N-terminal region - Protein Information**NFATC1 antibody - N-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NFATC1 antibody - N-terminal region - Images



WB Suggested Anti-NFATC1 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:312500

Positive Control: Human brain