

CA7 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14498**Specification**

CA7 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q86YU0
Other Accession	NM_001014435 , NP_001014435
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Rabbit, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	23kDa KDa

CA7 antibody - C-terminal region - Additional Information

Alias Symbol **CAVII**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-CA7 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


CA7 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CA7 antibody - C-terminal region - Protein Information**CA7 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CA7 antibody - C-terminal region - Images



WB Suggested Anti-CA7 Antibody Titration: 0.2-1 μ g/ml

ELISA Titer: 1:62500

Positive Control: Human brain