

PGAM1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14740**Specification**

PGAM1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8N0Y7
Other Accession	NM_002629 , NP_002620
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

PGAM1 antibody - C-terminal region - Additional Information**Gene ID** 441531

Alias Symbol	PGAM-B, PGAMA
Other Names	
Probable phosphoglycerate mutase 4, 3.1.3.13, 5.4.2.11, 5.4.2.4, PGAM4, PGAM3	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-PGAM1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


PGAM1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

PGAM1 antibody - C-terminal region - Protein Information**Name** PGAM4**Synonyms** PGAM3**PGAM1 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PGAM1 antibody - C-terminal region - Images



WB Suggested Anti-PGAM1 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Liver

PGAM1 antibody - C-terminal region - References

Betran E.,et al.Mol. Biol. Evol. 19:654-663(2002).
Marques A.C.,et al.PLoS Biol. 3:E357-E357(2005).
Ross M.T.,et al.Nature 434:325-337(2005).